

XL16I Repair Parts

Part Number	Description	4TTX6018 J1000AA	4TTX6024 J1000AA	4TTX6030 J1000AA	4TTX6036 J1000AA	4TTR6042 J1000AA	4TTX6048 J1000AA	4TTX6060 J1000AA
COM11523	COMPRESSOR; SCROLL; ALLIANCE; SBA049B1BPZ; 4 TON; 49,400 BTUH; 208-230/60/1; R-410A; BRAZED; SUCTION 7/8; DISCHARGE 1/2; RLA 27.9							X
COM11524	COMPRESSOR; SCROLL, ALLIANCE, SBA020C1CPZ, 1.75 TON, 20,000 BTUH, 208/230-60-1, R410-A, BRAZED, SUCTION 3/4, DISCHARGE 1/2, RLA 12.1		X					
COM11535	COMPRESSOR; SCROLL, ALLIANCE, SBA014C1CPZ, 1.5 TON, 14,650 BTUH, 208/230-60-1, R410-A, BRAZED, SUCTION 3/4, DISCHARGE 1/2, RLA 10	X						
COM11814	COMPRESSOR; SCROLL; ALLIANCE; SBA024C1BPZ; 2.0 TON; 24,000 BTUH; 208/230-60-1; R-410A; BRAZED; SUCTION 3/4; DISCHARGE 1/2; RLA 14.3			X				
COM11816	COMPRESSOR; SCROLL; ALLIANCE; SBA034B1BPZ; 3.0 TON; 34,000 BTUH; 208/230-60-1; R-410A; BRAZED; SUCTION 7/8; DISCHARGE 1/2; RLA 18.6					X		
COM11817	COMPRESSOR; SCROLL; ALLIANCE; SBA040B1BPZ; 3.5 TON; 40,000 BTUH; 208/230-60-1; R-410A; BRAZED; SUCTION 7/8; DISCHARGE 1/2; RLA 20.6						X	
COM11967	COMPRESSER; SCROLL; LG; APG029KAC; 2.5 TONS; 29,000 BTUH; 230-60-1; R410-A				X			
CPT00120	CAPACITOR; RUN, 7.5 MFD, 370V, OVAL, W/O RESISTOR							X

XL16I Repair Parts

Part Number	Description	4TTX6018 J1000AA	4TTX6024 J1000AA	4TTX6030 J1000AA	4TTX6036 J1000AA	4TTR6042 J1000AA	4TTX6048 J1000AA	4TTX6060 J1000AA
CPT00656	CAPACITOR; DUAL, 45/5 MFD, 440V, ROUND, W/O RESISTOR				X	X		
CPT00659	CAPACITOR; DUAL, 30/5 MFD, 440V, ROUND, W/O RESISTOR	X						
CPT00668	CAPACITOR; DUAL, 440V, 40/5 MFD, ROUND, W/O RESISTOR			X				
CPT00669	CAPACITOR; DUAL, 45/7.5 MFD, 440V, ROUND, W/O RESISTOR						X	
CPT00977	CAPACITOR; DUAL, 35/5 MFD, 440V, ROUND, W/O RESISTOR		X					
CPT01777	CAPACITOR; DUAL, 45/7.5 MFD, 440V, ROUND, W RESISTOR						X	
CPT02326	CAPACITOR; START, 112 MFD, 330V, ROUND, W/ RESISTOR	X	X					
CPT02362	CAPACITOR; RUN, 70 MFD, 370V, OVAL, W/O RESISTOR							X
CTR01146	CONTACTOR; 30 FLA, 2 POLE, 24 VAC COIL, 40 RES AMP, 30 FLA @ 600V						X	
CTR02574	CONTACTOR; 1P 40A 24VAC / SCREWS	X	X	X	X	X	X	
CTR02576	CONTACTOR; 2P 40A 24VAC / SCREWS							X
DHY01469	DRIER; LIQUID LINE; SERVICE FIRST; 5 CU. IN.; DCL053S, 3/8 ODF CONNECTIONS; 4.63 TON	X	X	X	X	X	X	X
FAN03657	FAN, 2 SWEPT BLADE, 23" DIA, 24.5 DEGREES PITCH, .50" BORE, CCW, ALUMINUM, 1 SET SCREW-STEEL, SPIDER .075 THK, FINISH/PAINT	X	X	X				
FAN04321	FAN; 2 SWEPT BLADE, 27.5" DIA, 21 DEGREES PITCH, .50" BORE, CCW, ALUMINUM, 1 SET SCREW-STEEL				X	X		

XL16I Repair Parts

Part Number	Description	4TTX6018 J1000AA	4TTX6024 J1000AA	4TTX6030 J1000AA	4TTX6036 J1000AA	4TTR6042 J1000AA	4TTX6048 J1000AA	4TTX6060 J1000AA
FAN04460	FAN; 2 SWEPT BLADES, 27.5" DIA, 25.2 DEG PITCH, 0.50" BORE, CCW, ALUMINUM, 1 SET SCREW-STEEL, SPIDER 0.075 THK						X	
FAN05525	FAN; 2 SWEPT BLADES, 27.50 IN DIA, 27 DEG PITCH, 0.50 IN BORE, CCW, ALUMINUM, 1 SET SCREW-STEEL, SPIDER 0.050 THK							X
MOT16968	MOTOR; 1/8 HP	X	X	X	X	X		
MOT17346	MOTOR; 1/5 HP - 48 FRAM						X	X
PLU01186	PLUG; SCROLL COMPRESSOR	X	X					
RLY03339	RELAY, START, SPST, 50 A COIL	X	X					
SWT03273	SWITCH, HIGH PRESSURE, SPST, OPEN @ 650 PSIG, CLOSE @ 500 PSIG, 88" YELLOW LEA	X	X	X	X	X	X	X
SWT03374	SWITCH; LOW PRESSURE, OPEN @ 50 PSIG CLOSE @ 70 PSIG	X	X	X	X	X	X	X
VAL09293	VALVE; SERVICE LIQUID	X	X	X	X	X	X	X
VAL09296	VALVE; SERVICE GAS ASSEMBLY, .75 ODS X .75 ODS	X	X		X			
VAL11186	VALVE; SERVICE GAS			X				
VAL11774	VALVE; SERVICE GAS ASSEMBLY, 0.88 ODS X 0.88 ODS, WITH 0.25 SAE SERVICE PORT SERVICE					X	X	X